

968040-46E25060




FIG. 1




FIG. 2

107




FIG. 4




FIG. 5

```

graph TD
    Start([HTMLpACTIVATE(string)]) --> 602{EMBEDDED OBJECT?}
    602 -- Yes --> 604[PASS STRING TO EMBEDDED OBJECT]
    602 -- No --> 606{STRING PROCESSED?}
    604 --> 606
    606 -- Yes --> 608([RETURN])
    606 -- No --> 610[CASE STRING]
    610 --> 612[STRING="POP"]
    612 --> 614[CALL SHELL TO POP TOP URL OF HISTORY STACK]
    614 --> 616[STRING="DONE"]
    616 --> 618[CALL SHELL TO DISPLAY MOST RECENT PAGE BEFORE <TOP> TAG]
    618 --> 620[STRING="GO"]
    620 --> 622{CURRENT OBJECT IS HYPERLINK?}
    622 --> 624[GET URL ASSOCIATED WITH HYPERLINK, PASS TO SHELLACTIVATE]
    624 --> 626[STRING="CLEAR"]
    626 --> 628[CALL SHELL TO CLEAR URL HISTORY STACK, DISPLAY MAIN PAGE]
    628 --> 630[STRING="RESET:FORMID"]
    630 --> 632[RESET FORM=FORMID TO ORIGINAL STATE]
    632 --> 634[STRING="SUBMIT:FORMID, LABEL"]
    634 --> 636[SUBMIT FORM=FORMID TO SHELL]
    636 --> 622
    622 --> A((A))
    636 --> RETURN([RETURN])

```

**FIG. 6A**




FIG. 6B

HTMLp	Result
<pre>&lt;HTML&gt; &lt;HEAD&gt; &lt;KEY KEY=2 LABEL="PhoneBook" ACTION="file://phonbook.html"&gt; &lt;KEY KEY=1 LABEL="Menu" ACTION=MENU&gt; &lt;KEYMENU KEY=1 LABEL="Messages" ACTION=file://msgs.html&gt; &lt;KEYMENU KEY=1 LABEL="Recent Calls" ACTION=file://recent.html&gt; &lt;KEYMENU KEY=1 LABEL="Phone Settings" ACTION="file://phonsett.html"&gt; &lt;KEY KEY=up action="file://recent.html"&gt; &lt;KEY KEY=down action="file://phonbook.html"&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;img src=file://space.gif&gt;&lt;br&gt; &lt;img src=file://space.gif&gt;&lt;br&gt; &lt;CENTER&gt; &lt;IMG SRC="file://la-air.gif"&gt;&lt;br&gt; c e l l u l a r&lt;br&gt; s e r v i c e s &lt;/CENTER&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	

FIG. 7




HTMLp	Result
<pre> &lt;HTML&gt; &lt;HEAD&gt; &lt;TOP&gt; &lt;TITLE&gt;Phone Book&lt;/TITLE&gt; &lt;KEY KEY=1 Label=New Action="new"&gt; &lt;KEY KEY=clear action=delete&gt; &lt;HELP&gt;Press any number key to search for an entry&lt;/HELP&gt; &lt;HELP&gt;Press Send to call someone&lt;/HELP&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;OBJECT CODE="phone:list?editkey=2&amp;showstatus"&gt; &lt;/BODY&gt; &lt;/HTML&gt; </pre>	

FIG. 8

1868070-16E25060


HTMLp	Result
<pre>&lt;HTML&gt; &lt;HEAD&gt; &lt;KEY KEY=2 LABEL=Ignore ACTION=phone:ignore&gt; &lt;IF TEST=extra:conf&gt;   &lt;KEY KEY=1 LABEL=Conference ACTION=phone:conference&gt; &lt;ELSE&gt;   &lt;KEY KEY=1 LABEL="Pick Up" ACTION=phone:answer&gt; &lt;/IF&gt; &lt;KEY KEY=send ACTION=phone:answer&gt; &lt;IF TEST=config:anykey&gt;   &lt;KEY KEY=default ACTION=phone:answer&gt;   &lt;KEY KEY=back ACTION=phone:answer&gt; &lt;/IF&gt; &lt;KEY KEY=end ACTION=phone:ignore&gt; &lt;KEY KEY=up ACTION=phone:upvolume&gt; &lt;KEY KEY=down ACTION=phone:downvolume&gt; &lt;/HEAD&gt; &lt;BODY &gt; &lt;TEMPLATE&gt; &lt;CENTER&gt; %(extra:name)&lt;br&gt; &lt;img SRC=extra:bigicon&gt;&lt;br&gt; &lt;img src=file:ringpal%(extra:pal).gif&gt; &lt;/CENTER&gt; &lt;/TEMPLATE&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	

FIG. 9

869040-46E/5060

HTMLp	Result
<pre>&lt;HTML&gt; &lt;HEAD&gt; &lt;TOP&gt; &lt;TITLE&gt;Phone Book&lt;/TITLE&gt; &lt;KEY KEY=1 LABEL="Modify" ACTION=MENU&gt; &lt;KEYMENU KEY=1 LABEL="Add Another #" ACTION="phone:edit?Name=@n"&gt; &lt;KEYMENU KEY=1 LABEL="Assign Speed Dial" ACTION="file://pbspeed.html?id=@i&amp;offset=@o&amp;Name=@n&amp;icon=@I"&gt; &lt;KEYMENU KEY=1 LABEL="Set Ring Tone" ACTION="file://pbring.html?id=@i&amp;Name=@n"&gt; &lt;KEYMENU KEY=1 LABEL="Change Number" ACTION="file://pbnum.html?id=@i&amp;offset=@o&amp;Name=@n&amp;Phone=@N"&gt; &lt;KEY KEY=2 Label=New Action="new"&gt; &lt;KEY KEY=clear action=delete&gt; &lt;HELP&gt;Press any number key to search for an entry&lt;/HELP&gt; &lt;HELP&gt;Press Send to call someone&lt;/HELP&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;OBJECT CODE="phone:list?showstatus"&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	

FIG. 10

HTMLp	Result
<pre>&lt;HTML&gt; &lt;HEAD&gt; &lt;TOP&gt; &lt;KEY KEY=1 Label=New Action="new"&gt; &lt;KEY KEY=clear action=delete&gt; &lt;/HEAD&gt; &lt;BODY background="file://logo.gif"&gt; &lt;IMG SRC="file://book.gif" ALIGN=bottom height=15 HSPACE=2&gt; &lt;b&gt;P h o n e&amp;nbsp;B o o k&lt;/b&gt;&lt;br&gt; &amp;nbsp;&lt;OBJECT CODE="phone:list?editkey=2&amp;showstatus&amp;editurl=file://pbedit.html?id =@i%26offset=@o%26Name=@n%26speed=@S%26icon=@I%26Phone=@N%26ring=@r %26prio=@R" width=101&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	

FIG. 11

HTMLp	Result
<pre> &lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Set Backlight&lt;/TITLE&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;TEMPLATE&gt; &lt;FORM METHOD=POST ACTION="config:set"&gt; Backlight should be:&lt;br&gt; &lt;input type=radio name="backlight" CHECKED="config:backlight=0" value=0&gt;On when in use&lt;br&gt; &lt;input type=radio name="backlight" CHECKED="config:backlight=1" value=1&gt;On when in use or charging&lt;br&gt; &lt;input type=radio name="backlight" CHECKED="config:backlight=2" value=2&gt;Off&lt;br&gt; &lt;br&gt; Delay: &lt;input type=text name="backlight delay" value="% (config:backlight delay)"&gt; &lt;input type=submit name=ok value=OK&gt; &lt;/FORM&gt; &lt;/TEMPLATE&gt; &lt;/BODY&gt; &lt;/HTML&gt; </pre>	

FIG. 12


HTMLp	Result
<pre> file info.html &lt;HTML&gt; &lt;INC SRC=bbody.html&gt; &lt;center&gt;&lt;font size=1&gt;Information Services&lt;/font&gt;&lt;br&gt;&lt;/center&gt; &lt;FORM ACTION=phone:indir&gt; &lt;SELECT SIZE=3 NAME=url SIMPLE&gt; &lt;OPTION VALUE=http://svcs/traffic.html&gt;Traffic Watch&lt;/OPTION&gt; &lt;OPTION VALUE=http://svcs/billing.html&gt;Billing Inquiries&lt;/OPTION&gt; &lt;OPTION VALUE=http://svcs/portfolio.html&gt;Stock Portfolio&lt;/OPTION&gt; &lt;OPTION VALUE=http://svcs/weather.html&gt;Local Weather&lt;/OPTION&gt; &lt;/SELECT&gt; &lt;INPUT TYPE=submit KEY=send&gt; &lt;/FORM&gt; &lt;INC SRC=endbbody.html&gt; &lt;/HTML&gt; </pre>	
<pre> file bbody.html: &lt;!-- Specifies a body surrounded by a border with the operator logo at the top. The including file can add a subcaption immediately below, but left and right margin are set so text will not impinge on the border --&gt; &lt;BODY BACKGROUND=sq-back.gif BGPARTIES=fixed&gt; &lt;BLOCKQUOTE&gt; &lt;BR&gt; &lt;INC SRC= stdlogo.html&gt; </pre>	
<pre> file endbbody.html: &lt;!-- Closes the tags that were opened by bbody.html&gt; &lt;/BLOCKQUOTE&gt; &lt;/BODY&gt; </pre>	
<pre> file stdlogo.html: &lt;!-- Provides the operator logo with the text flow set to receive a subcaption for the logo --&gt; &lt;IMG SRC=l-airtel.gif&gt; &lt;BR&gt; </pre>	

FIG. 13


HTMLp	Result
<pre> &lt;HTML&gt; &lt;HEAD&gt;&lt;TITLE&gt;Dialing&lt;/TITLE&gt; &lt;TEMP&gt; &lt;KEY KEY=1 Label="Recent" Action="file://recent.html"&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;FORM ACTION="phone:dial"&gt; &lt;INPUT NAME=num TYPE=phonenum&gt; &lt;INPUT TYPE=submit KEY=send&gt; &lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt; </pre>	 <p>The 'Result' column displays three sequential screenshots of a mobile phone interface, likely a dialer or contact app. Each screenshot shows a 'Dialing' status at the top right, followed by a numeric input field and a 'Recent' button at the bottom.</p> <ul style="list-style-type: none"> <li><b>First Screenshot:</b> The input field contains the number '2'. Below the input field, the text 'speed dial' and 'Garth' are visible.</li> <li><b>Second Screenshot:</b> The input field contains the number '995'. Below the input field, the text 'number search' and 'Barbra' are visible.</li> <li><b>Third Screenshot:</b> The input field contains the number '7069952143'. Below the input field, the text 'number search' and 'Barbra' are visible.</li> </ul>

FIG. 14




FIG. 15

868040" 46E25060

HTML	Result
<pre>&lt;HTML&gt; &lt;BODY&gt; &lt;FORM METHOD=POST ACTION="http://cgi- bin/purchase"&gt; Name: &lt;INPUT TYPE=TEXT NAME=name&gt;&lt;br&gt; Address: &lt;INPUT TYPE=TEXT NAME=street&gt;&lt;br&gt; City: &lt;INPUT TYPE=TEXT NAME=city&gt; State: &lt;INPUT TYPE=TEXT NAME=state MAXLENGTH=2 SIZE=2&gt; Zip: &lt;INPUT TYPE=TEXT NAME=zip SIZE=5&gt;&lt;br&gt; Credit Card: &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=visa&gt;VISA &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=mc&gt;MasterCard &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=amex&gt;American Express&lt;br&gt; Number: &lt;INPUT TYPE=TEXT NAME=cnumber&gt;&lt;br&gt; &lt;INPUT TYPE=submit name=buy value=Buy&gt;&lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	<p>Name: <input type="text"/></p> <p>Address: <input type="text"/></p> <p>City: <input type="text"/> State: <input type="text"/> Zip: <input type="text"/></p> <p>Credit Card: <input type="radio"/> VISA <input type="radio"/> MasterCard <input type="radio"/> American Express</p> <p>Number: <input type="text"/></p> <p><input type="submit" value="Buy"/></p>

FIG. 16  
PRIOR ART






FIG. 17a  
PRIOR ART

CLIENT	SERVER
<pre> &lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Purchase Skis&lt;/TITLE&gt; &lt;/HEAD&gt; &lt;BODY&gt; Finally, your credit card info: &lt;FORM METHOD=GET ACTION="http://skishop/cgi-bin/confirm"&gt; &lt;INPUT TYPE=hidden NAME=name VALUE="George Will"&gt; &lt;INPUT TYPE=hidden NAME=street VALUE="2 Anywhere"&gt; &lt;INPUT TYPE=hidden NAME=city VALUE="Madison"&gt; &lt;INPUT TYPE=hidden NAME=state VALUE="WI"&gt; &lt;INPUT TYPE=hidden NAME=zip VALUE="53705"&gt; Credit Card:&lt;br&gt; &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=visa&gt;VISA &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=mc&gt;MasterCard &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=amex&gt;American Express&lt;br&gt; Number: &lt;INPUT TYPE=TEXT NAME=cnumber &gt; &lt;INPUT KEY=send TYPE=submit name=buy value="Review"&gt; &lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt; </pre>	
<pre> GET http://skishop/cgi- bin/credit?name=George+Will&amp;street=2+Anywhere&amp;cit y=Madison&amp;state=WI&amp;zip=53705&amp;cardtype=visa&amp;cnumbe r=7732222156661000 </pre>	<p>Insert credit card parameters into template maintained on the server, and upload to client.</p>
<pre> &lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Confirm Order&lt;/TITLE&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;DL&gt; &lt;DT&gt;Name:&lt;/DT&gt;&lt;DD&gt;&lt;b&gt;George Will&lt;/b&gt;&lt;/DD&gt; &lt;DT&gt;Address:&lt;/DT&gt;&lt;DD&gt;&lt;b&gt;2 Anywhere, Madison, WI, 53705&lt;/b&gt;&lt;/DD&gt; &lt;DT&gt;Credit Card:&lt;/DT&gt;&lt;DD&gt;&lt;b&gt;VISA&lt;br&gt; 7732222156661000&lt;/b&gt;&lt;/DD&gt; &lt;/DL&gt; &lt;FORM METHOD=POST ACTION="http://skishop/cgi-bin/purchase"&gt; &lt;INPUT TYPE=hidden NAME=name VALUE="George Will"&gt; &lt;INPUT TYPE=hidden NAME=street VALUE="2 Anywhere"&gt; &lt;INPUT TYPE=hidden NAME=city VALUE="Madison"&gt; &lt;INPUT TYPE=hidden NAME=state VALUE="WI"&gt; &lt;INPUT TYPE=hidden NAME=zip VALUE="53705"&gt; &lt;INPUT TYPE=hidden NAME=cardtype VALUE="visa"&gt; &lt;INPUT TYPE=hidden NAME=cnumber VALUE="7732222156661000"&gt; &lt;INPUT KEY=1 TYPE=submit name=buy value="Buy!"&gt; &lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt; </pre>	
<pre> POST http://skishop/cgi- bin/purchase?name=George+Will&amp;street=2+Anywhere&amp;c ity=Madison&amp;state=WI&amp;zip=53705&amp;cardtype=visa&amp;cnum ber=7732222156661000 </pre>	<p>Process transaction with all parameters.</p>

FIG. 17b  
PRIOR ART

HTMLp	Result
<pre>file: purchaseform.html &lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Purchase Skis&lt;/TITLE&gt; &lt;TOP&gt; &lt;KEY KEY=2 LABEL="Never Mind" ACTION=done&gt; &lt;/HEAD&gt; &lt;BODY&gt; Please enter your name: &lt;FORM METHOD=NEXT ACTION="file://addr.html"&gt; &lt;INPUT TYPE=TEXT NAME=name cap=name abcmodes=alpha,num SIZE=25&gt;&lt;br&gt; &lt;INPUT KEY=send TYPE=submit &gt; &lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	
<pre>file: addr.html &lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Purchase Skis&lt;/TITLE&gt; &lt;KEY KEY=2 LABEL="Never Mind" ACTION=done&gt; &lt;/HEAD&gt; &lt;BODY&gt; Now we need your address: &lt;FORM METHOD=NEXT ACTION="file://credit.html"&gt; Street: &lt;INPUT TYPE=TEXT NAME=street cap=name abcmodes=num,alpha size=9&gt;&lt;br&gt; City: &lt;INPUT TYPE=TEXT NAME=city cap=name abcmodes=alpha size=10&gt;&lt;br&gt; State: &lt;INPUT TYPE=TEXT NAME=state cap=name abcmodes=alpha MAXLENGTH=2 SIZE=2&gt;&lt;br&gt; Zip: &lt;INPUT TYPE=TEXT NAME=zip abcmodes=num SIZE=5&gt; &lt;INPUT KEY=send TYPE=submit &gt; &lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	
<pre>file: credit.html &lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Purchase Skis&lt;/TITLE&gt; &lt;KEY KEY=2 LABEL="Never Mind" ACTION=done&gt; &lt;/HEAD&gt; &lt;BODY&gt; Finally, your credit card info: &lt;FORM METHOD=NEXT ACTION="file://confirm.html"&gt; Credit Card:&lt;br&gt; &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=visa&gt;VISA &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=mc&gt;MasterCard &lt;INPUT TYPE=RADIO NAME=cardtype VALUE=amex&gt;American Express&lt;br&gt; Number: &lt;INPUT TYPE=TEXT NAME=cnumber abcmodes=num&gt; &lt;INPUT KEY=send TYPE=submit name=buy value="Review"&gt; &lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	

FIG. 18a

HTMLp	Result
<pre> &lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Confirm Order&lt;/TITLE&gt; &lt;KEY KEY=2 LABEL="Never Mind" ACTION=done&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;template&gt; &lt;DL&gt; &lt;DT&gt;Name:&lt;/DT&gt;&lt;DD&gt;&lt;b&gt;%(extra:name)&lt;/b&gt;&lt;/DD&gt; &lt;DT&gt;Address:&lt;/DT&gt;&lt;DD&gt;&lt;b&gt;%(extra:street), %(extra:city), %(extra:state), %(extra:zip)&lt;/b&gt;&lt;/DD&gt; &lt;DT&gt;Credit Card:&lt;/DT&gt;&lt;DD&gt;&lt;b&gt;%(extra:cardtype)&lt;/b&gt;&lt;br&gt; test=extra:cardtype=visa&gt;VISA&lt;/if&gt;&lt;if test=extra:cardtype=mc&gt;MasterCard&lt;/if&gt;&lt;if test=extra:cardtype=amex&gt;American Express&lt;/if&gt;&lt;br&gt; %(extra:cnumber)&lt;/b&gt;&lt;/DD&gt; &lt;/DL&gt; &lt;/template&gt; &lt;FORM METHOD=POST ACTION="http://cgi-bin/purchase"&gt; &lt;INPUT KEY=1 TYPE=submit name=buy value="Buy!"&gt; &lt;/FORM&gt; &lt;/BODY&gt; &lt;/HTML&gt; </pre>	
<p><b>Final HTTP transaction sent to server:</b></p> <pre> POST //cgi-bin/purchase  name/George Will street/2 Anywhere city/Madison state/WI zip/53705 cardtype/visa cnumber/7732222156661000 buy/Buy! </pre>	

**FIG. 18b**

068040-46E/5060

HTMLp	Result
<pre>&lt;HEAD&gt; &lt;TITLE&gt;Green-Tongued Iguana&lt;/TITLE&gt; &lt;/HEAD&gt; &lt;BODY&gt; The &lt;a href=iguana.gif label=Picture&gt;green-tongued iguana&lt;/a&gt; is a native of &lt;a href=map?city=adelaide label=map&gt;Adelaide, Australia&lt;/a&gt;. It likes to live under spare tires, unlike the &lt;a href=lizards/blue-tongued-iguana.html&gt;Blue-Tongued Iguana&lt;/a&gt;, its cousin to the north. &lt;/BODY&gt;</pre>	<div><div>123</div><div>Green-Tongued Iguana</div><div>The green-tongued iguana is a native of Adelaide, Australia. It likes to live under spare tires, unlike the Blue-Tongued Iguana, its cousin to the north.</div><div>Links</div></div> <div><div>123</div><div>Green-Tongued Iguana</div><div>The green-tongued iguana is a native of Adelaide, Australia. It</div><div><div>Picture</div><div>map</div><div>Blue-Tongued Igu...</div><div>Select</div></div></div>

FIG. 19


HTMLp	Result
<pre> &lt;HEAD&gt; &lt;TITLE&gt;OAK to SEA 3/24&lt;/TITLE&gt; &lt;LINKMENU&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;TABLE&gt; &lt;TR&gt; &lt;TH&gt;&lt;U&gt;Flight&lt;/U&gt;&lt;/TH&gt; &lt;TH ALIGN=RIGHT&gt;&lt;U&gt;Dep&lt;/U&gt;&lt;/TH&gt; &lt;TH ALIGN=RIGHT&gt;&lt;U&gt;Arr&lt;/U&gt;&lt;/TH&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;&lt;A HREF=flights/ua909.html&gt;UA 909&lt;/A&gt;&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;09:33&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;11:22&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;&lt;A HREF=flights/as63.html&gt;AS 63&lt;/A&gt;&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;10:02&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;11:57&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;&lt;A HREF=flights/as102.html&gt;AS 102&lt;/A&gt;&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;12:36&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;14:08&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;&lt;A HREF=flights/ua887.html&gt;UA 887&lt;/A&gt;&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;15:10&lt;/TD&gt; &lt;TD ALIGN=RIGHT&gt;17:21&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt; &lt;/BODY&gt; </pre>	

FIG. 20




FIG. 21




FIG. 22

0057394-040860

HTMLp	Result
<pre>&lt;HTML&gt; &lt;HEAD&gt; &lt;TITLE&gt;Error!&lt;/TITLE&gt; &lt;KEY KEY=1 LABEL="Sorry!" ACTION=pop&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;CENTER&gt; &lt;IMG SRC=file:///booboo.gif&gt; &lt;BR&gt; &lt;B&gt;&lt;FONT SIZE=7&gt;&lt;INC SRC=extra:message&gt;&lt;/FONT&gt;&lt;/B&gt; &lt;/CENTER&gt; &lt;/BODY&gt; &lt;/HTML&gt;</pre>	

FIG. 23



968040-16E/5060

KEYCAPS		MISCELLANEOUS	
builtin:key1	①	builtin:smiley	☺
builtin:key2	②	builtin:signal	⚡
builtin:key3	③		
builtin:key4	④		
builtin:key5	⑤		
builtin:key6	⑥		
builtin:key7	⑦		
builtin:key8	⑧		
builtin:key9	⑨		
builtin:key0	⑩		
PHONE NUMBER TYPES			
builtin:type0	☎	builtin:bigtype0	☎
builtin:type1	🏠	builtin:bigtype1	🏠
builtin:type2	🏠	builtin:bigtype2	🏠
builtin:type3	📞	builtin:bigtype3	📞
builtin:type4	🚗	builtin:bigtype4	🚗
builtin:type5	📺	builtin:bigtype5	📺
builtin:type6	📞	builtin:bigtype6	📞
builtin:type7	📺	builtin:bigtype7	📺

FIG. 24



HTMLp	Result
<pre> &lt;HEAD&gt; &lt;DIAL NAME="Voice Mail" NOSCREENCHANGE&gt;8144299x#4416722&lt;/DIAL&gt; &lt;TITLE&gt;Voice Box&lt;/TITLE&gt; &lt;KEY KEY=#5 ACTION=vmListen.http&gt; &lt;KEY KEY=#4 ACTION=vmGreeting.http&gt; &lt;KEY KEY=#6 ACTION=vmNew.http&gt; &lt;KEY KEY=#9 ACTION=vmSignoff.http&gt; &lt;KEY KEY=default ACTION=none&gt; &lt;TOP&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;IMG SRC=builtin://key4&gt; Greeting Options&lt;br&gt; &lt;IMG SRC=builtin://key5&gt; Listen to Messages&lt;br&gt; &lt;IMG SRC=builtin://key6&gt; Record a Message&lt;br&gt; &lt;IMG SRC=builtin://key9&gt; Sign Off&lt;br&gt; &lt;/BODY&gt; </pre>	
<pre> &lt;HEAD&gt; &lt;DIAL&gt;5&lt;/DIAL&gt; &lt;TITLE&gt;Listen&lt;/TITLE&gt; &lt;KEY KEY=#2 ACTION=phone:dial?num=2&gt; &lt;KEY KEY=#3 ACTION=phone:dial?num=3&gt; &lt;KEY KEY=#5 ACTION=phone:dial?num=5&gt; &lt;KEY KEY=#7 ACTION=phone:dial?num=7&gt; &lt;KEY KEY=#9 ACTION=pop&gt; &lt;/HEAD&gt; &lt;BODY&gt; &lt;IMG SRC=builtin://key2 WIDTH=22&gt; Back Up a Bit&lt;br&gt; &lt;IMG SRC=builtin://key2&gt;&lt;IMG SRC=builtin://key2&gt; Start Again&lt;br&gt; &lt;IMG SRC=builtin://key3 WIDTH=22&gt; Erase&lt;br&gt; &lt;IMG SRC=builtin://key5 WIDTH=22&gt; Next Message&lt;br&gt; &lt;IMG SRC=builtin://key7 WIDTH=22&gt; Save Message&lt;br&gt; &lt;IMG SRC=builtin://key9 WIDTH=22&gt; Stop Listening&lt;br&gt; &lt;/BODY&gt; </pre>	

FIG. 25